



SUPER CAPE

20105

Materials List

Small Cape (18 month to 3 years):

- 45" (115cm) ---- ¾ yard + ¾ yard lining
70 cm + 70 cm lining
- 60" (150cm) ---- ¾ yard + ¾ yard lining*
70 cm + 70 cm lining*
- 90"+ (>230cm) --- ¾ yard + ¾ yard lining*
70 cm + 70 cm lining*

*if you choose to line the small super cape with the SAME material and are using 60" or wider fabric, there is no need to buy the lining yardage, you will have plenty of fabric.

Medium Cape (3 years to 5 years):

- 45" (115cm) ---- 1 yard + 1 yard lining
100 cm + 100 cm lining
- 60" (150cm) ---- 1 yard + 1 yard lining
100 cm + 100 cm lining
- 90"+ (>230cm) --- 1 yard + 1 yard lining
100 cm + 100 cm lining

Large Cape (6 years to 8 years):

- 45" (115cm) ---- 1 ½ yards + 1 ½ yards lining
140 cm + 140 cm lining
- 60" (150cm) ---- 1 yard + 1 yard lining
100 cm + 100 cm lining
- 90"+ (>230cm) --- 1 yard + 1 yard lining
100 cm + 100 cm lining


X-Large Cape (9 years +):

- 45" (115cm) ---- 2 yards + 2 yards lining
190 cm + 190 cm lining
- 60" (150cm) ---- 1 yard + 1 yard lining
100 cm + 100 cm lining
- 90"+ (>230cm) --- 1 yard + 1 yard lining
100 cm + 100 cm lining

- Matching or contrasting thread
- 2" Velcro
- Felt for the Emblem
- Embroidery Needles and Thread (if you so desire)
- Any other embellishments you choose

Pattern Assembly and Cutting Instructions


Carefully align printed pattern pages so the corner “dots” come together to form a circle or half circle with an ‘X’ through the center. RED letters on the image below correspond to the RED letters on your pattern pages. Carefully tape pieces together. Cut out paper pattern pieces, then align them with the grain of the fabric and the fold of the fabric as indicated on the pattern pieces. Carefully pin them to the fabric and then cut the pieces out of your fabric.



Super Cape 20105

Pattern Marker

Use this guide to arrange the pattern pieces on your fabric. Pay careful attention to the fold and grain lines marked on the pattern pieces.



Pattern Markings:

Grainline: Place the pattern piece so that the grainline runs parallel to the selvage edge of the fabric.



Cutting Line: Indicates the line to cut



Fold Line: Indicates when a pattern piece should be placed on the fold of the fabric **BEFORE** cutting.



Notch: Used for proper alignment of seams.



Dot: Should be marked on the fabric with a washable marker. Further details will appear in the instructions.



Fabric Key:



Wrong Side



Right Side



Lining Right Side

Glossary:

Seam Allowance: The space allowed between the cut edge of the fabric and the stitching line.

Straight stitch: indicated in these instructions by the word “stitch.” Stitch width is set to “0.” Stitch length is set around “3.” Backstitching (reverse) is used at the beginning and ending of a straight stitch to secure stitching.

Topstitch: usually a straight stitch sewn on the top side of the fabric as a finishing step. Often used on hems, necklines, collars, and pockets.

Right Side: the side of the fabric you wish the world to see.

Wrong Side: the back side of the fabric.

Clip: Small notches are carefully cut out of the seam allowance where there is a concave curve or a tight convex curve. This allows the seam to lay flat once the garment is turned right side out. Corners are also clipped to allow a more pointed and true corner.


Super Cape 20105

1. With right sides together align the notches of CAPE BACK (1) and CAPE FRONT (2) at shoulder and stitch at 3/8".


2. Repeat for the opposite shoulder.

3. Repeat for the lining.


4. Press ALL seams open.



5. Position the lining on top of the outer cape with right sides together. Stitch at 3/8", leaving the space between the bottom dots open.




6. Clip the corners and the curve of the neck line.



7. Turn cape right side out through the hole in the bottom.

8. Carefully turn in bottom opening and press at $\frac{3}{8}$ ".



9. Thoroughly press all seams.

10. Topstitch bottom hem at $\frac{1}{8}$ ", closing opening in the bottom.


12. Position the hook side of Velcro on the right side of the cape $\frac{1}{8}$ " from the Center Front, centered top to bottom. Stitch on Velcro.

13. Position the loop side of Velcro on the lining side of the cape $\frac{1}{8}$ " from the Center Front, centered top to bottom. Stitch on Velcro.



14. Attach emblem on to the cape at desired location.

15. Remind children to always take off flying from the ground ONLY!




oxeyedaisey design
SUPER STAR 20001

©2011 Daisy Bingham

Cut out and assemble Super Star pieces.

Pieces can be hand embroidered together,
machine stitched, glued, or even painted on.


Once the Super Star Emblem has been
assembled it is ready to be attached either by
hand or by machine.




oxeyedaisey design
SUPER STAR 20001

1 Base Star

CUT 1 of Fabric A




oxeyedaisey design
SUPER STAR 20001
3 Star Points
CUT 5 of Fabric B



oxeyedaisey design
SUPER STAR 20001


2 "S"

CUT 1 of Fabric B




A






B

oxeyedaisey design
SUPER CAPE BACK 20105
1 Rack






1 DUCK

OUTER FABRIC
CUT 1 on the fold
LINING
CUT 1 on the fold

C







Small

D







oxeyedaisey design
SUPER CAPE FRONT
20105

2


Size Medium

OUTER FABRIC
CUT 2
LINING
CUT 2

E

X-Large

GRAIN



G


oxeyedaisey design
SUPER CAPE FRONT
20105

2

Size Large

OUTER FABRIC
CUT 2
LINING
CUT 2


GRAIN






I







K


oxeyedaisey design
SUPER CAPE FRONT
20105


2

Size X-Large

1
OUTER FABRIC
CUT 2
LINING
CUT 2

GRAIN





P



